

AMENDMENTS TO THE CLAIMS

Please amend claims 1, 6, and 9 as indicated below, wherein deleted material is shown by strikethrough (or double brackets) and added material is underlined. In addition, please cancel claims 7 and 13, and add claims 15-21. A complete listing of claims pending in the application following entry of this Amendment are presented as follows:

Amended
1. (Currently Amended) A vending machine control program rewrite system for rewriting a control program of a vending machine, said vending machine comprises a control device having a storage unit storing the control program as a current one of the control program, which comprises:

a host computer adapted to send a new one of the control program to said vending machine;

said control device comprising a rewritable memory as said storage unit, a receiver adapted to receive said new control program from said host computer, and a rewriter adapted to rewrite said control program in said rewritable memory from said current one to said new one of the control program[.],

As
wherein, said host computer sends to said vending machine said new one of the control program together with new data mapping information which said new one of the control program uses, and said rewriter has current data mapping information which said current control program uses, and a data remapping portion for remapping data used by said current one of the control program based on said current and new data mapping information so that said data can be used by said new one of the control program.

2. (Original) The vending machine control program rewrite system according to claim 1, wherein said host computer simultaneously sends said new one of the control program to a plurality of vending machines.

3. (Original) The vending machine control program rewrite system according to claim 1, wherein said host computer sends said new one of the control program to said vending machine in accordance with a predetermined schedule.

4. (Original) The vending machine control program rewrite system according to claim 1, wherein:

said host computer sends to said vending machine said new one of the control program together with a new attribute information of said new one of the control program; and

said rewriter has a rewrite determinator adapted to determine based on said new attribute information whether or not the control program should be rewritten from said current one to said new one of the control program.

5. (Original) The vending machine control program rewrite system according to claim 1, said control device having a rewrite program previously stored therein, wherein said rewriter performs rewrite of the control program to said new one by executing said rewrite program.

6. (Currently Amended) The vending machine control program rewrite system according to ~~claims~~ claim 1, wherein:

said host computer sends to said vending machine, said new one of the control program together with a rewrite program for rewriting to said new one of the control program; and

said rewriter performs rewrite of the control program to said new one by executing said rewrite program received from the host computer.

7. (Cancelled)

8. (Original) The vending machine control program rewrite system according to claim 1, wherein:

said host computer sends to said vending machine said new one of the control program together with new data mapping information which said new one of the control program uses and a data remapping program for carrying out remapping of said data being used by said current one of the control program so that said data can be used by said new one of the control program; and

said rewriter performs data remapping by executing said data remapping program received from the host computer.

9. (Currently Amended) A vending machine having a control device comprising a storage unit storing a control program storing as a current one of the control program therein and an arithmetic and logic unit for executing said current one of the control program, a host computer sending a new one of the control program to said vending machine, wherein said control device further comprises:

a rewritable memory as said storage unit;

a communication controller adapted to control communication with said host computer;

and

a rewriter adapted to rewrite the control program from said current one stored in said storage unit to said new one of the control program received from the host computer via said communication controller[.].

wherein, said host computer sends said new one of the control program together with new data mapping information, and said rewriter has a remapping program store previously storing data remapping program, said rewriter, when performing rewrite of the control program to new one of the control program, executing said data remapping program with reference to said data mapping information received from the host computer to remap data used by said current one of the control program so that said data can be used by said new one of the control program.

10. (Original) The vending machine according to claim 9, said host computer sending to said vending machine said new one of the control program together with attribute information of said new one of the control program wherein said rewriter has a rewrite determinator adapted to determine based on said attribute information received from the host computer whether or not said current one of the control program should be rewritten to said new one of the control program.

11. (Original) The vending machine according to claim 9, wherein said rewriter comprises a rewrite program store previously storing a rewrite program for rewriting the control program, and performs rewrite of the control program by executing said rewrite program.

12. (Original) The vending machine according to claim 9, said host computer sending said new one of the control program together with a rewrite program for rewriting the control

SP
program, wherein said rewriter performs rewrite of the control program by executing said rewrite program received from the host computer.

13. (Cancelled) The vending machine control device according to claim 9,

14. (Original) The vending machine according to claim 9, said host computer sending said new one of the control program together with a data remapping program, wherein said rewriter, when performing rewrite of the control program to new one of the control program, executing said data remapping program with reference to said data mapping information received from the host computer to remap data used by said current one of the control program so that said data can be used by said new one of the control program.

ax
15. (New) A vending machine control program rewrite system for rewriting a control program of a vending machine, said vending machine comprises a control device having a storage unit storing the control program as a current one of the control program, which comprises:

a host computer adapted to send a new one of the control program to said vending machine;

said control device comprising a rewritable memory as said storage unit, a receiver adapted to receive said new control program from said host computer, and a rewriter adapted to rewrite said control program in said rewritable memory from said current one to said new one of the control program,

wherein, said host computer sends to said vending machine said new one of the control program together with new data mapping information which said new one of the control program uses, and a remapping program executed by a data remapping portion, and said rewriter has current data mapping information which said current control program uses, and the data remapping portion [[for]] executes the remapping program in order to remap data used by said current one of the control program, based on said current and new data mapping information so that said data can be used by said new one of the control program.

Sub
B1

16. (New) The vending machine control program rewrite system according to claim 1, wherein said host computer simultaneously sends said new one of the control program to a plurality of vending machines.

17. (New) The vending machine control program rewrite system according to claim 1, wherein said host computer sends said new one of the control program to said vending machine in accordance with a predetermined schedule.

18. (New) The vending machine control program rewrite system according to claim 1, wherein:

said host computer sends to said vending machine said new one of the control program together with a new attribute information of said new one of the control program; and

said rewriter has a rewrite determinator adapted to determine based on said new attribute information whether or not the control program should be rewritten from said current one to said new one of the control program.

al

19. (New) The vending machine control program rewrite system according to claim 1, said control device having a rewrite program previously stored therein, wherein said rewriter performs rewrite of the control program to said new one by executing said rewrite program.

20. (New) The vending machine control program rewrite system according to claim 1, wherein:

said host computer sends to said vending machine, said new one of the control program together with a rewrite program for rewriting to said new one of the control program; and

said rewriter performs rewrite of the control program to said new one by executing said rewrite program received from the host computer.

21. (New) The vending machine control program rewrite system according to claim 1, wherein:

said host computer sends to said vending machine said new one of the control program together with new data mapping information which said new one of the control program uses and

Sub
Pl
at

~~a data remapping program for carrying out remapping of said data being used by said current one of the control program so that said data can be used by said new one of the control program; and said rewriter performs data remapping by executing said data remapping program received from the host computer.~~